

TECHNICAL SPECIFICATIONS  
New SEAT ATECA



	1.4 TSI 150 HP ACT DSG	2.0 TSI 190 HP DSG 4Drive	2.0 TDI 190 HP DSG 4Drive
<b>ENGINE</b>			
Cylinder/Valve (Total)	4 Cyl. - 16v		
Displacement (cc)	1395	1984	1968
Bore and stroke (mm)	74,5 x 80	82,5 x 92,8	81,0 x 95,5
Compression ratio	10	11,6	15,5
Maximum power (kW/HP/rpm)	110/150/5000-6000	140/190/4200-6000	140/190/3500-4000
Max. Torque (Nm/rpm)	250/1500-3500	320/1450-4200	400/1750-3250
Fuel supply system	TSI Direct Injection		Direct Injection: Common rail
Ignition	Electronic map-controlled ignition		Compressed Ignition
Fuel type	ROZ 95		Diesel
Emissions standard	EU6		
Alternator (A)	110-180		140-180
Battery (Ah)	59-68		68-70
<b>PERFORMANCE</b>			
Max. Speed (Km/h)	198	212	212
Acceleration 0-100 Km/h (s)	8,6	7,9	7,5
<b>MASS EMISSION</b>			
CO2 Combined (g/Km)	124	159	135
<b>FUEL CONSUMPTION</b>			
Combined (l/100 Km)	5,4	7,0	5,3
<b>TRANSMISSION</b>			
Gearbox type:	DSG 7-speed Start-Stop		DSG 7-speed Start-Stop
I	3,765	3,4	3,579
II	2,273	2,75	2,750
III	1,531	1,676	1,677
IV	1,133	0,925	0,889
V	1,176	0,705	0,677
VI	0,956	0,755	0,722
VII	0,795	0,635	0,561
R	4,167	3,805	2,900
Group ratio	4,438 (1) / 3,227 (2) / 4,176 (3)	4,471 (1) / 3,304 (2)	4,471 (1) / 3,304 (2)
<b>CHASSIS</b>			
Front suspension	Independent Type McPherson - coil springs - hydraulic Shock absorber		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber	Multilink axle, coil springs and hydraulic shock absorber	
Steering system	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10,8		
Brake system	Dual hydraulic circuit and brake system diagonal split with brake booster		
Front / Rear brake type	Front ventilated disc / Rear solid disc		
Front brakes (mm)	312 x 25		
Rear brakes (mm)	272 x 10		
Rims (")	16" - 17" - 18" - 19"	17" - 18" - 19"	
Tyres	215/60 R16 - 215/55 R17 - 215/50 R18 - 215/40 R19	225/55 R17 - 225/50 R18 - 245/40 R19	
<b>PACKAGE</b>			
Body type	A-SUV		
Length / width / height (mm)	4363/1841/1601	4363/1841/1611	
Wheelbase (mm)	2638	2630	
Front/Rear track (mm)	1576 / 1541	1572/1544	
Boot capacity (l)	510	485	
Petrol tank capacity (l)	50	55	
<b>WEIGHTS</b>			
In running order with driver (Kg)	1375	1536	1589
Max. Weight allowed (Kg)	1920	2080	2130

\* The data used in this report are preliminary

TECHNICAL SPECIFICATIONS  
New SEAT ATECA



	1.4 TSI 150 HP ACT 4Drive	1.4 TSI 150 HP ACT 4Drive DSG	1.4 TSI 150 HP ACT 4Drive DSG
<b>ENGINE</b>			
Cylinder/Valve (Total)	4 Cyl. - 16v		
Displacement (cc)	1395		1984
Bore and stroke (mm)	74,5 x 80		82,5 x 92,8
Compression ratio	10		11,6
Maximum power (kW/HP/rpm)	110/150/5000-6000		140/190/4200-6000
Max. Torque (Nm/rpm)	250/1500-3500		320/1450-4200
Fuel supply system	TSI Direct Injection		
Ignition	Electronic map-controlled ignition		
Fuel type	ROZ 95		
Emissions standard	EU6		
Alternator (A)	110-180		
Battery (Ah)	59-68		
<b>PERFORMANCE</b>			
Max. Speed (Km/h)	192	189	212
Acceleration 0-100 Km/h (s)	9	8,9	7,9
<b>MASS EMISSION</b>			
CO2 Combined (g/Km)	138	143	158
<b>FUEL CONSUMPTION</b>			
Combined (l/100 Km)	6	6,2	7
<b>TRANSMISSION</b>			
Gearbox type:	Manual 6-speed Start-Stop	DSG 6-speed Start-Stop	DSG 7-speed Start-Stop
	3,769	3,462	3,400
I	2,087	2,050	2750,000
II	1,469	1,300	1767,000
III	1,098	0,902	0,9225
IV	1,108	0,914	0,705
V	0,927	0,756	0,705
VI			0,635
VII			
R	4,549	3,987	3805,000
Group ratio	3,944 (1) / 3,087 (2)	4,800 (1) / 3,600 (2)	4,471 (1) / 3,304 (2)
<b>CHASSIS</b>			
Front suspension	Independent Type McPherson - coil springs - hydraulic Shock absorber		
Rear suspension	Multilink axle, coil springs and hydraulic shock absorber		
Steering system	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10,8		
Brake system	Dual hydraulic circuit and brake system diagonal split with brake booster		
Front / Rear brake type	Front ventilated disc / Rear solid disc		
Front brakes (mm)	312 x 25		
Rear brakes (mm)	272 x 10		
Rims (*)	17" - 18" - 19"		
Tyres	225/55 R17 - 225/50 R18 - 225/45 R19		
<b>PACKAGE</b>			
Body type	A-SUV		
Length / width / height (mm)	4363/1841/1611		
Wheelbase (mm)	2630		
Front/Rear track (mm)	1572 / 1544		
Boot capacity (l)	485		
Petrol tank capacity (l)	55		
<b>WEIGHTS</b>			
In running order with driver (Kg)	1460	1476	1536
Max. Weight allowed (Kg)	2000	2010	2080

\* The data used in this report are preliminary

TECHNICAL SPECIFICATIONS  
New SEAT ATECA



	2.0 TDI 143 HP DSG
<b>ENGINE</b>	
Cylinder/Valve (Total)	4 Cyl. - 16v
Displacement (cc)	1968
Bore and stroke (mm)	81 x 95,5
Compression ratio	
Maximum power (kW/HP/rpm)	105/143/3500-4000
Max. Torque (Nm/rpm)	320/1750-3000
Fuel supply system	TDI Direct Injection Common Rail
Ignition	Compressed Ignition
Fuel type	Diesel
Emissions standard	EU6
Alternator (A)	140-180
Battery (Ah)	68-70
<b>PERFORMANCE</b>	
Max. Speed (Km/h)	192
Acceleration 0-100 Km/h (s)	9,2
<b>MASS EMISSION</b>	
CO2 Combined (g/Km)	138
<b>FUEL CONSUMPTION</b>	
Combined (l/100 Km)	5,03
<b>TRANSMISSION</b>	
Gearbox type:	DGS 6-speed
I	3,462
II	1,905
III	1,125
IV	0,756
V	0,763
VI	0,622
VII	-
R	4,109
Group ratio	4,375 (1) / 3,333 (2)
<b>CHASSIS</b>	
Front suspension	Independent Type McPherson - coil springs - hydraulic Shock absorber
Rear suspension	Multilink axle, coil springs and hydraulic shock absorber
Steering system	R-EPAS (ack Electric Power System)
Turning diameter (m)	10,8
Brake system	Dual hydraulic circuit and brake system diagonal split with brake booster
Front / Rear brake type	Front ventilated disc / Rear solid disc
Front brakes (mm)	312 x 25
Rear brakes (mm)	272 x 10
Rims (")	17" - 18"
Tyres	215/55 R17 - 215/50 R18
<b>PACKAGE</b>	
Body type	A-SUV
Length / width / height (mm)	4363/1841/1601
Wheelbase (mm)	2638
Front/Rear track (mm)	1576 / 1541
Boot capacity (l)	510
Petrol tank capacity (l)	50
<b>WEIGHTS</b>	
In running order with driver (Kg)	1435
Max. Weight allowed (Kg)	1970

TECHNICAL SPECIFICATIONS  
New SEAT ATECA



	2.0 TDI 150 HP 4Drive	2.0 TDI 190 HP DSG 4Drive
<b>ENGINE</b>		
Cylinder/Valve (Total)	4 Cyl. - 16v	
Displacement (cc)	1968	
Bore and stroke (mm)	81 x 95,5	
Compression ratio	16,2	15,5
Maximum power (kW/HP/rpm)	110/150/3500-4000	140/190/3500-4000
Max. Torque (Nm/rpm)	340/1750-3000	400/1750-3250
Fuel supply system	TDI Direct Injection Common Rail	
Ignition	Compressed Ignition	
Fuel type	Diesel	
Emissions standard	EU6	
Alternator (A)	140-180	
Battery (Ah)	68-70	
<b>PERFORMANCE</b>		
Max. Speed (Km/h)	196	212
Acceleration 0-100 Km/h (s)	9	7,5
<b>MASS EMISSION</b>		
CO2 Combined (g/Km)	129	135
<b>FUEL CONSUMPTION</b>		
Combined (l/100 Km)	5,1	5,3
<b>TRANSMISSION</b>		
Gearbox type:	Manual 6-speed Start-Stop	DSG 7-speed Start-Stop
I	3,769	3,579
II	1,958	2,750
III	1,257	1,677
IV	0,870	0,889
V	0,857	0,677
VI	0,717	0,722
VII	-	0,561
R	4,549	2,900
Group ratio	3,944 (1) / 3,087 (2)	4,471 (1) / 3,304 (2)
<b>CHASSIS</b>		
Front suspension	Independent Type McPherson - coil springs - hydraulic Shock absorber	
Rear suspension	Multilink axle, coil springs and hydraulic shock absorber	
Steering system	R-EPS (ack Electric Power System)	
Turning diameter (m)	10,8	
Brake system	Dual hydraulic circuit and brake system diagonal split with brake booster	
Front / Rear brake type	Front ventilated disc / Rear solid disc	
Front brakes (mm)	312 x 25	
Rear brakes (mm)	272 x 10	
Rims (")	17" - 18" - 19"	
Tyres	225/55 R17 - 225/50 R18 - 225/45 R19	
<b>PACKAGE</b>		
Body type	A-SUV	
Length / width / height (mm)	4363/1841/1611	
Wheelbase (mm)	2630	
Front/Rear track (mm)	1572 / 1544	
Boot capacity (l)	485	
Petrol tank capacity (l)	55	
<b>WEIGHTS</b>		
In running order with driver (Kg)	1548	1589
Max. Weight allowed (Kg)	2100	2130

\* The data used in this report are preliminary