

TECHNICAL SPECIFICATIONS
CUPRA Ateca



2.0I TSI 300HP DSG 4Drive	
ENGINE	
Cylinder/Valve (total)	4 / 16
Displacement (cc)	1984
Bore/stroke (mm)	82,5 / 92,8
Compression ratio	9,3
Maximum power (kW/rpm)	221 (300) 5300-6500
Max. Torque (Nm/rpm)	400 / 2000-5200
Fuel supply system	TSI Direct Injection
Ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbo charged
Fuel type	ROZ 98
Alternator (A)	110-180
Battery (Ah/A)	59-68 / 320-380
PERFORMANCE	
Max. Speed (km/h)	247 [6]
Acceleration 0-100 km/h (s)	4,9
TRANSMISSION	
Gearbox type	DQ381-7A
Ratios	I 3,400
	II 2,750
	III 1,767
	IV 0,925
	V 0,705
	VI 0,755
	VII 0,635
	R 2,750
Group 1 ratio	4,813
Group 2 ratio	3,667
CHASSIS	
Front suspension	Independent type McPherson - coil springs - hydraulic shock absorber [DCC equipment (Adaptive chassis control)]
Rear suspension	Multilink axle, coil springs and hydraulic shock absorber [DCC equipment (Adaptive chassis control)]
Steering system	R-EPS (Rack Electric Power System); in Xcellence, FR and CUPRA: Progressive steering
Turning diameter (m)	10,8
Brake system	Dual hydraulic circuit and brake system diagonal split with brake booster
Front/rear brake type	Front and rear ventilated disc brakes
Front brakes (mm)	340 x 30 (serie) / 370 x 32 (optional Brembo brakes)
Rear brakes (mm)	310 x 22
WHEELS	
Rims	8J x 19 ET45
Tyres	245/40 R19 94W
PACKAGE	
Body type	A-SUV
Length/width/height (mm)	4386 / 1841 / 1599 (roof) - 1613 (roof rails)
Wheelbase (mm)	2630
Front/rear track (mm)	1575 / 1549
Boot capacity (l)	485
Fuel tank capacity (l)	55
WEIGHTS	
In running order with driver (kg)	1626
Max. weight allowed (kg)	2170